

# INDEX MAPS.

## T. 30N, R. 8 E. 2<sup>nd</sup> Mer.

	221	220	220	220	219	219						
223	6	249	5	254	4	251	3	237	2	227	1	218
	249	250	243	243	238	236	227					
223	7	242	8	238	9	237	10	236	11	226	12	218
	251	242	242	236	236	237	230	226				
222	18	241	17	235	16	233	15	230	14	226	13	218
	244	241	235	232	229	225						
222	19	241	20	234	21	232	22	229	23	225	24	217
	240	240	234	231	229	225						
221	30	240	29	234	28	231	27	228	26	224	25	217
	239	239	233	231	228	224						
221	31	239	32	233	33	230	34	227	35	224	36	216
	216	216	215	215	215	215						

Meadows 214, 232

## T. 31N, R. 8 E. 2<sup>nd</sup> Mer.

264	6	287	5	280	4	276	3	272	2	268	1	261
	286	286	280	275	271	267						
263	7	285	8	280	9	275	10	271	11	267	12	261
	285	284	279	275	271	266						
263	18	284	17	279	16	274	15	270	14	266	13	260
	284	283	278	274	270	266						
263	19	283	20	278	21	273	22	269	23	266	24	260
	282	282	278	273	269	265						
262	30	282	29	277	28	273	27	269	26	265	25	259
	281	281	277	272	268	265						
262	31	280	32	276	33	272	34	268	35	264	36	259
	259	258	258	257	257	257						

Meadows 287

The figures on the lines refer to the page.

Township No 30 North of Range No 8 East of the 2nd Mer. Indian

215

South Boundary.

West On South Boundary of Sec 35.

31. 85 A W. Oak 19 in. diam.

40. 00 Set a q. Sec. post from which

a B. Ash 7 in. diam. bears N 75 E 3 links dist. &

a Do 21 " " " N 31 W 17 " "

50. 32 A Poplar 8 " "

80. 00 Set a Post cor. to Sec. 35 & 36 from which

a Hickory 20 in. diam. bears N 32 E 35 links dist. &

an Iron nail 5 " " " N 57 W 8 " "

Land not described

West On South Boundary of Sec 35.

29. 40 A Poplar 18 in. diam.

40. 00 Set a q. Sec. post from which

a Birch 6 in. diam. bears N 51 E 19 links dist. &

a W. Oak 20 " " " N 83 W 27 " "

77. 00 A Lym 14 " "

80. 00 Set a post cor. to Sec. 34 & 35 from which

a Birch 17 in. diam. bears N 36 E 26 links dist. &

a Do 11 " " " N 64 W 23 " "

Land not described.

West On South Boundary of Sec 34

38. 14 An Elm 14 in. diam.

40. 00 Set a q. Sec. post from which

a Birch 13 in. diam. bears N 39 E 37 links dist. &

a Do 18 " " " N 86 W 26 " "

52. 95 An Elm 18 " "

80. 00 Set a post cor. to Sec. 33 & 34 from which

a Birch 13 in. diam. bears N 74 E 33 links dist. &

a Do 5 " " " N 14 W 19 " "

Land not described

West On South Boundary of Sec 33.

37. 40 A B. Ash 19 in. diam.



T 30 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

- 40.00 Set a gr. Sec. post from which  
an Elm 16 in. diam. bears N. 71 E. 38 links dist. &  
a Do 20 " " " N. 81 W. 15 " "
- 55 40 A Buck 21 " "
- 80 00 Set a post cor. to Secs 32 & 33 from which  
an Iron rod 5 in. diam. bears N. 11 E. 12 links dist. &  
a B. Ash 18 " " " N. 75 W. 54 " "
- Land not described.

- Note On South Boundary of Sec. 32.
- 25.00 An I. Ash 18 in. diam.
- 40.00 Set a gr. Sec. post from which  
a Buck 19 in. diam. bears N. 37 E. 14 links dist. &  
a Do 15 " " " N. 84 W. 12 " "
- 57.50 A Sugar 20 " "
- 80.00 Set a Post cor. to Secs 31 & 32 from which  
a Buck 14 in. diam. bears N. 55 E. 20 links dist. &  
a Do 7 " " " N. 51 W. 42 " "
- Land not described. Nov. 19<sup>th</sup>

- Note On South Boundary of Sec. 31.
- 21.11 a Buck 15 in. diam.
- 40 00 Set a gr. Sec. post from which  
a B. Ash 8 in. diam. bears N. 11 E. 20 links dist. &  
a Buck 9 " " " N. 74 W. 15 " "
- 54.59 A B. Ash 19 in. diam.
- 72.50 A Stream 30 links wide. Course N. W.
- 83 00 Intersect West Boundary 74 links S. of the Post.  
Set a post corner to Towns 29 & 30 North. Ranges  
7 & 8 East. Secs 1 & 2. 31 & 35 from which  
a Buckeye 13 in. diam. bears N. 12 E. 7 links dist. &  
an Elm 5 " " " N. 75 W. 20 " "
- Land level & 2<sup>nd</sup> rate. Timber as usual, &c.

- East Boundary
- North On East Boundary of Sec 30
- 27 70 A Spruce 20 in. diam.

217

T 30 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set a gr. Sec. post from which  
a Buck 7 in. diam. bears S 68° W 12 links dist. &  
a Co 5 " " " N 24° W 35 " "
- 54.00 An Elm 8 " "
- 50.00 Set a post cor. to Sec. 20 & 36 from which  
a B. Ash 14 in. diam. bears S 55° W 26 links dist. &  
a Buck 6 " " " N 34° W 22 " "
- Land not described.

- North On East Boundary of Sec 25
- 29.07 An Elm 18 in. diam.
- 40.00 Set a gr. Sec. post from which  
a Buck 18 in. diam. bears S 49° W 42 links dist. &  
a Co 20 " " " N 31° W 40 " "
- 50.69 An Ironwood 6 in. diam.
- 50.00 Set a post cor. to Sec. 24 & 25 from which  
a Buck 18 in. diam. bears S 53° W 32 links dist. &  
a Co 16 " " " N 16° W 25 " "
- Land is not described

- North On East Boundary of Sec 24.
- 22.68 A Buck 22 in. diam.
- 40.00 Set a gr. Sec. post from which  
a Buck 5 in. diam. bears S 7° W 20 links dist. &  
a Co 12 " " " N 6° W 53 " "
- 59.50 A Stream 10 links wide. Course N W.
- 62.59 Co 15 " " " N E.
- 67.94 Co 20 " " " N W.
- 68.64 Co 20 " " " N E.
- 69.85 An Elm 17 in. diam.
- 70.90 A Stream 2 links wide. Course N W.
- 80.00 Set a post cor. to Sec. 13 & 24 from which  
a Hickory 10 in. diam. bears S 47° W 17 links dist. &  
a S. Ash 16 " " " N 67° W 17 " "
- Land not described.

## T 30 N R 8 E 2nd Mer. Indiana

North On East Boundary of the 13

17. 60 An Elm 36 in. diam.

40. 00 Set a g. Sec. post from which  
a Lymn 12 in. diam. bears South 2 links dist. &  
a Beech 12 " " " N. 85° W. 17 " "

66. 50 A W. Oak 20 in. diam.

80. 00 Set a Post cor. to Sec. 12 N. 13 from which  
an Ironwood 6 in. diam. bears S. 3° W. 35 links dist. &  
a W. Oak 40 " " " N. 41° W. 15 " "

Land not described

North On East Boundary of Sec. 12.

24. 50 A Stream 60 links wide. Course S. W.

26. 15 A Burr Oak 24 in. diam.

29. 55 A Stream 12 links wide. Course S. W.

40. 00 Set a g. Sec. post from which  
a Beech 16 in. diam. bears S. 62° W. 42 links dist. &  
a Sugar 10 " " " N. 22° W. 43 " "

66. 31 A Buckeye 14 in. diam.

80. 00 Set a Post cor. to Sec. 1. N. 12 from which  
a W. Oak 16 in. diam. bears S. 5° W. 30 links dist. &  
a Beech 18 " " " N. 35° W. 65 " "

Land not described.

North On East Boundary of Sec 1

25. 07 A Beech 17 in. diam.

40. 00 Set a g. Sec. post from which  
an S. Ash 10 in. diam. bears N. 2° W. 12 links dist. &  
but one bearing tree in Miller Swamp.

67. 46 An Elm 15 in. diam.

78. 25 Set a Post on the South Bank of Cold River  
Cor. to Sec. 1. from which a

Maple 6 in. diam. bears S. 71° W. 8 links dist. &amp; a

Ch 8 ~~12~~ " " " N. 84° E. 11 " "Land level & 2nd water inclined to West. Timber  
Beech. Hickory Oak &c. Under. Spice & Ironwood.

# 219

## T 30 N. R 8 E 2nd Mer. Indiana.

Surveyed by  
David Willis D.S.

North Boundary var. 5° 55' E

West On South Boundary of Sec 35 T 31 N R 8 E.

19.48 An Elm 6 in. diam.

40.00 Set a gr. Sec. post from which  
a Buck 28 in. diam. bears N. 76 E. 20 links dist, &  
a Do 14 " " " N 24 W 6 " "

66.48 A Hackberry 24 in. diam.

80.00 Set a Post Cor. to Sec. 35 & 36 from which  
a Buck 10 in. diam. bears N. 56 E. 9 links dist, &  
a Do 26 " " " N 66 W. 22 " "

Land gently rolling & 1<sup>st</sup> rate. Timber Oak,  
Buck, Sugar, Ash, Elm Hackberry, Ironwood &  
B. Walnut. Undergr<sup>th</sup> much the same.

West On South Boundary of Sec. 35. T 30 N R 8 E.

21.64 A Buckeye 8 in. diam.

40.00 Set a gr. Sec. post from which  
a Sugar 6 in. diam. bears N. 2 W. 9 links dist, &  
a Buck 10 " " " N. 56 W. 30 " "

47.50 A Brook 4 links wide. Course S W.

55.00 Same " " " N E

56.00 Left Bank of Eel River. Course S W.

57.75 Set a Post on the Right Bank of Eel River  
from which a  
Hackberry 7 in. diam. bears N. 55 E. 7 links dist, & a  
Do 6 " " " S 59 W 21 " "

61.35 A W. Oak 30 " "

66.00 A Brook 5 links wide Course South

80.00 Set a Post cor. to Sec. 34 & 35 from which  
a Buckeye 7 in. diam. bears N. 6 E. 15 links dist, &  
a W. Oak 16 " " " N 48 W 48 " "

Land &c same as last mile



## T 30 N. R. 8. E. 2nd Mer. Indiana

- West On South Boundary of the 34 T. 31 N. R. 8 E.  
 15. 50 A Sycamore 28 in. diam.  
 17. 00 A Stream 30 links wide. Course South  
 40. 00 Set a gr. the. post from which  
     a Buck 6 in. diam. bears N. 31 $\frac{1}{2}$  E. 22 links dist, &  
     a W. Oak 7 " " " N. 75 $\frac{1}{2}$  W. 27 " "  
 51. 98 A W. Oak 8 " "  
 80. 00 Set a Post cor. to Sec. 33 & 34 from which  
     a Buckeye 6 in. diam. bears N. 57 $\frac{1}{2}$  E. 22 links dist, &  
     a Buckeye 5 " " " N. 61 $\frac{1}{2}$  W. 13 " "  
     Land &c same

- 
- West On South Boundary of the 33 T. 31 N. R. 8 E.  
 15. 14 An Elm 9 in. diam.  
 24. 00 A Trail. N E  
 30. 25 An Elm 16 in. diam.  
 40. 00 Set a gr. the. post from which  
     a W. Oak 30 in. diam. bears N. 55 W. 41 links dist, &  
     a Co 4 " " " N. 35 $\frac{1}{2}$  E. 36 " "  
 54. 51 A Blue Ash 15 in. diam.  
 57. 85 A Buck 12 " "  
 80. 00 Set a Post Cor. to Sec. 32 & 33 from which  
     a Buck 9 in. diam. bears N. 23 E. 40 links dist, &  
     a Co 8 " " " N. 62 $\frac{1}{2}$  W. 47 " "  
     Land &c same. Oct 9<sup>th</sup> 1833.

- 
- West On South Boundary of the 32 T. 31 N. R. 8 E.  
 17. 74 A Red Oak 36 in. diam.  
 35. 00 A Buck 5 links wide. Course South  
 40. 00 Set a gr. the. post from which  
     a Buck 10 in. diam. bears S. 59 E. 48 links dist, &  
     a Co 26 " " " N. 24 W. 34 " "  
 52. 33 A Buck 20 " "  
 73. 32 An Elm 18 " "  
 80. 00 Set a Post cor. to Sec. 31 & 32 from which  
     a Sugar 9 in. diam. bears N. 68 W. 40 links dist, & a



# T30 A R & E 2<sup>nd</sup> Mer. Indiana

221

a Beech 6 in. diam. bears N 6 1/4 E 45 links dist.  
Land the same

---

West On South Boundary of Sec. 31. T31 N R & E.

10. 49 A Beech 8 in. diam.

34. 24 A Do 8 " "

40. 00 Set a q. Sec. post from which

a Beech 6 in. diam. bears N 25 1/2 E 23 links dist. &

a Do 14 " " " N 68 1/2 W 25 " "

53. 84 A W. Oak 26 " "

61. 00 A Brook 40 links wide. Course South.

68. 93 A Cherry 20 in. diam.

91. 10 Intersect the Range line 5 chains & 92 lks South  
of Vemp's Tenn Corner. Set a Post Cer to. —  
from which a

Wichery 8 in. diam. bears S. 35 E. 14 links dist. & a

Beech 14 " " " N. 40 W. 24 " "

Land the same

Surveyed by  
Sylvester Wiley C. S.

---

## West Boundary

North On East Boundary of Sec. 30 T30 N R 7 E

17. 00 A Stream 25 links wide. Course S.W.

29. 25 A Beech 6 in. diam.

40. 00 Set a q. Sec. post from which

a Beech 6 in. diam. bears S 18 W 24 links dist. &

a B. Ash 17 " " " N 48 W 38 " "

52. 00 A Beech 16 " "

80. 00 Set a Post cer. to Sec. 25 & 35 from which

a W. Oak 6 in. diam. bears S. 66 W. 8 links dist. &

a Beech 7 " " " N 54 W 17 " "

---

North On East Boundary of Sec. 25 T30 N R 7 E

27. 00 A B. Ash 6 in. diam.

40. 00 Set a q. Sec. post from which

an Elm 6 in. diam. bears S 31 W 13 links dist. &

## T30 N. R. 8 E Ind. Mer. Indiana

- a S. Ash 17 in. diam. bears N. 40 W. 32 the dist.  
 56 90 A Stream 22 links wide. Course S W.  
 61, 64 A Hickory 16 in. diam.  
 80, 00 Set a Post cen. to Sec. 24 & 25 from which  
 a Sugar 21 in. diam. bears N. 43 W. 14 links dist. &  
 a Spruce 5 " " " N. 58 W. 23 " "  
 Land not described

- North On East Boundary of Sec. 24 T30 N. R. 7 E  
 10. 50. Willow & Hemlock Swamp  
 40 00 Set a g. Sec post in Willow Swamp. no bearing trees.  
 48. 00 Left the swamp  
 64 00 An Elm 17 in. diam.  
 80. 00 Set a Post cen. to Sec. 13 & 24 from which  
 an Elm 12 in. diam. bears S. 33 W. 13 links dist. &  
 a Birch 14 " " " N. 75 W. 10 " "  
 No description of the Land given

- North On East Boundary of Sec. 13 T30 N. R. 7 E.  
 0. 00 A Stream 30 links wide Course N W.  
 27 25 A Dogwood 4 in. diam.  
 40. 00 Set a g. Sec post from which  
 a Sugar 3 in. diam. bears S. 12 W. 5 links dist. &  
 an Elm 15 " " " N. 33 W. 20 " "  
 65 17 An Elm 20 " "  
 70. 50 Set a Post on the South Bank of El River cen.  
 to Sec. 13 from which  
 an Bg. Oak 16 in. diam. bears N. 45 W. 13 the dist. &  
 an Ironwood 5 " " " N. 84 E. 5 " "  
 Land 2<sup>nd</sup> rate Timber as usual.

Surveyed by  
 David Hallis 1893

Var. 5. 306 Began at a post standing on the left Bank of El  
 River 30 chains & 85 links from the g. Sec corner.  
 On East side of Sec. 13, T. 30 N. R. 7 E. thence  
 North On East side of Sec. 13

T 30 N R 8 E 2nd Mer. Indiana

223

75 10 A W Oak 10 in. diam. is Corner on the Right Bank of Eel River.

80 00 Set a Post cor. to Sec. 12 N 3 from which  
a Beech 25 in. diam. bears N 74 W 47 links dist. &  
an Elm 5 " " " S 62 W 51 " "  
Land Rolling 1<sup>st</sup> rate. Timber Oak. Ash. Elm.  
Lynn &c.

North On East Boundary of the 12 T 30 N R 7 E  
3. 75 To bend in Eel River Cor. S E.

A W Oak 8 in. diam. is Corner on the Right Bank of the River

19. 70 A Hickory 6 in. diam. is Corner on the Right Bank of the River Cor. S W

25 41 A Sugar 7 in. diam.

40 00 Set a g. the post from which  
a Beech 7 in. diam. bears N 65 W 8 links dist. &  
an Elm 4 " " " S 32 W 45 " "

85 24 A Sugar 24 in. diam.

80 00 Set a Post Cor. to Sec. 1. N 2 from which  
a Beech 7 in. diam. bears S 6 W 53 links dist. &  
a Elm 12 " " " N 35 W 46 " "  
Land level & 1<sup>st</sup> rate. Timber. Oak. Ash. Elm.  
Lynn. Cherrwood & Buckeye Underg<sup>th</sup> Ash.  
Beech. " &c.

North On East Boundary of the 1 T 30 N R 7 E.

17. 14 A Sugar 10 in. diam.

40 00 Set a g. the post from which  
a W. Ash 13 in. diam. bears S 37 W 23 links dist. &  
a Beech 14 " " " N 28 W 8 " "

49 50 A Brook 6 links wide. Course S E.

50 45 An Elm 7 in. diam.

80 00 Set Comp<sup>d</sup> Town Corner  
Land & much as before

Oct 8<sup>th</sup> 1833

Surveyed by  
Ephraim T. G. S.

T. 30 N. R. 8 E. 2<sup>nd</sup> Mer. Indiana.

## Subdivisions

North Between Secs 35 &amp; 36

- 18 75 A Swamp Ash 24 in. diam.  
 40 00 A Lynn 11 in. diam. from which  
 a Beech 10 " " bears N 32 E 32 links dist. &  
 a Do 4 " " S 38 E 10 " "  
 53 20 A Ash 18 " "  
 80 00 Set a Post cor. to Secs 25 26 35 & 36 from which  
 a Lynn 10 in. diam. bears N 22 E 9 links dist. &  
 a Beech 12 " " S 5 W 32 " "  
 Land level & 2<sup>nd</sup> rate. Timber Oak. Beech.  
 Sugar Lynn. Underg<sup>th</sup> Water Beech. Chunnong

East On Random between Sec 25 &amp; 36

- 28 50 A Pond  
 30 00 Left the same  
 40 00 Set a Swampy gr. Sec. post.  
 80 00 Intersect the East Boundary 58 links S. of Post.  
 Land level & 3<sup>rd</sup> rate. Timber. Maple. Swamp Ash  
 W. Oak. Lynn. & Underg<sup>th</sup> Water Beech.

West Connected between Secs 25 &amp; 36

- 40 15 Set a gr. Sec. post at a cor. dist. from which  
 a Beech 6 in. diam. bears N 25 W 15 links dist. &  
 a Do 20 " " S 76 E 25 " "  
 80 30 To Sec. corner

North Between Secs 25 &amp; 26

- 23 75 A Beech 15 in. diam.  
 40 00 Set a gr. Sec. post from which  
 a Beech 12 in. diam. bears S 60 E 11 link dist. &  
 a Do 12 " " N 88 W 22 " "  
 55 00 A Beech 20 " "  
 80 00 Set a Post cor. to Secs 23 24 25 & 26 from which  
 a Beech 10 in. diam. bears S 29 W 5 links dist. &  
 a Do 12 " " N 15 E 11 " "



225

T 30 N R 5 E 2<sup>nd</sup> Mer. Indiana.

Land level soil 3<sup>rd</sup> rate. Timber. Beech. S. Ash,  
Elm. &c. Underg<sup>th</sup> Ironwood. &c.

East On Random between Sec. 24 & 25.  
40.00 Set a Temp<sup>o</sup> of Sec. post  
80.00 Intersect the East Boundary 2 ch<sup>o</sup> & 11 links S. of Post.  
Land level 2<sup>nd</sup> rate. Timber. Beech. Sycamore  
&c. Underg<sup>th</sup> Harder.

West Corrected between Sec. 24 & 25.  
40.00 Set a g<sup>o</sup> Sec. post on true line from which  
an Aspen 4 in diam. bears N. 78° W. 5 links dist, &  
a Sycamore 4 " " " East 18 " "  
80.00 To the Corner May, 3<sup>o</sup> 1828

North Between Sec. 23 & 24  
15.50 A Beech 12 in. diam.  
40.00 Set a g<sup>o</sup> Sec. post from which  
a Sycamore 4 in. diam. bears N. 83° E. 13 links dist, &  
an Ash 4 " " " S 24° W. 10 " "  
57.50 A Sugar 10 " "  
80.00 Set a Post cor. to Sec. 13, 14 23 & 24 from which  
an Elm 4 in. diam. bears S. 71° E. 15 links dist, &  
a Water Beech 5 in " " S. 53° W. 10 " "  
Land level 4<sup>th</sup> rate. Timber. Beech. Oak. &c.  
Underg<sup>th</sup> Thorn & Ironwood.

East On Random between Sec. 23 & 24  
40.00 Set a Temp<sup>o</sup> of Sec. post.  
62.00 A Stream 7 links wide Course North.  
77.00 A Do " " " "  
79.50 Intersect the E Boundary 4 ch<sup>o</sup> & 13 links E. S  
of the Post.  
Land level 4<sup>th</sup> rate. Timber. Beech  
Swamp Ash, Elm &c. Underg<sup>th</sup> Spice.



T 30 N. R. 8. E. 2<sup>nd</sup> Mer Indiana.

West Between Sec 13 & 24  
 39 80 Set a q. Sec post from which  
 a Sugar 12 in. diam. bears S. 31 W. 11 links dist. &  
 a Co 15 " " " N. 15 E. 19 " "  
 79 50 To Sec. Corner.

North Between Sec 13 & 14  
 21 00 A B. Oak 10 in. diam.  
 40. 00 Set a q. Sec. post from which  
 an Elm 20 in. diam. bears N. 88 E. 7 links dist. &  
 a Spruce 12 " " " N. 56 W. 21 " "  
 45 00 A Sugar 20 " "  
 50. 00 Set a Post Cor to Sec. 11. 12. 13 & 14 from which  
 a Hickory 6 in. diam. bears N. 83 E. 9 links dist. &  
 a Maple 36 " " " S. 87 W. 31 " "  
 Land bet. & 2<sup>nd</sup> rate. Timber. Beech. Sugar  
 Elm. Underg<sup>th</sup>. Ash. &c.

East On Random between Sec 12 & 13  
 40. 00 Set a Temp<sup>o</sup> q. Sec. post.  
 49. 50 A Stream 8 links wide. Course N.  
 78. 00 Intersect the E. Boundary 5 ch. & 11 links  
 South of the Post.  
 Land bet. & 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Underg<sup>th</sup>. Spice & P. Ash.

West Corrected between Sec 12 & 13  
 39. 00 Set a q. Sec. post at aver dist. from which  
 a Buckeye 10 in. diam. bears S. 46 W. 37 links dist. &  
 a Swamp Ash 24 " " " N. 46 E. 15 " "  
 78. 00 To Sec. Corner.

North Between Sec 11 & 12  
 10 25 A Beech 30 in. diam.  
 30 70 A Creek 25 links wide. Course N.  
 40 00 Set a q. Sec. post from which

227

T 30 N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

a Beech 10 in. diam. bears N 15 E. 9 links dist, &  
 an Ash 20 " " " S 37 W 15 " "  
 55 20 An Elm 35 " "  
 50. 10 Set a Post Cor. to Sec. 1. 2 11 12 from which  
 an Elm 12 in. diam. bears N 55 E. 19 links dist, &  
 a Walnut 5 " " " S. 73 W. 9 " "  
 Land level & 1<sup>st</sup> rate. Timber. Beech Sugar,  
 Elm, Buckeye. Underg<sup>th</sup>. Spice &c.

---

East On Random between Sec. 1 11 2  
 40 00 Set a Temp<sup>ry</sup> q. Sec post.  
 77 35 Intersect the E. Boundary 6. chs & 17 links S. of Post.  
 Land level & 1<sup>st</sup> rate. Timber. Beech. Sugar, Elm.  
 Walnut. Elm &c. Underg<sup>th</sup>. Spice &c

---

West Corrected between Sec. 1 11 2.  
 38. 57 Set a q. Sec. post at a cer dist, from which  
 a Beech 20 in. diam. bears S 4 W. 11 links dist, &  
 a Do 24 " " " N 42 E 25 " "  
 77 35 To Sec. Corner.

---

North Between Sec. 1 1 2  
 4. 95 A Sugar 30 in. diam.  
 40 00 Set a q. Sec post from which  
 a Beech 3 in. diam. bears N 24 W 43 links dist, &  
 a Do 24 " " " S 30 E 24. " "  
 50 00 To Swamp  
 58 00 Left same  
 " " A W. Oak 10 in. diam.  
 96 50 Set River & set a Post Cor. to sec. 1. 2 from which  
 a Walnut 8 in. diam. bears S 72 E 39 links dist, &  
 a Buckeye 5 " " " N 68 W. 25 " "  
 Land Rolling & 1<sup>st</sup> rate Timber. Ash. Beech  
 Sugar Oak &c. Underg<sup>th</sup>. Spice &c May 5<sup>th</sup>. 1828

---

North Between Sec. 34 & 35

## T 30 N. R. 8 E 2nd Mer Indiana.

15 16 A W Oak 40 in. diam  
 40.00 Set a q. Sec post from which  
 a Sugar 10 in. diam. bears N. 57 W. 22 links dist. &  
 an Elm 12 " " " S 70 E 17 " "  
 57.50 A Gycamore 14 in. diam.  
 80.00 Set a Post cor to the? 26 27 34 + 35 from which  
 a Beech 15 in. diam. bears S 49 E 32 links dist. &  
 a Do 3 " " " N. 54 W. 2 " "  
 Land level + 2<sup>nd</sup> rate. Timber. Sugar. Ash  
 Beech. Elm. & Underg<sup>th</sup> Spice. Ironwood &  
 Sugar.

East On Random between Sec 26 & 35  
 40 00 Set a Tump<sup>st</sup> q. Sec. post.  
 50 69 Intersect the N & S line 15 links South of the Post.  
 Land level + 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Sugar. Underg<sup>th</sup> Spice. Water Beech. &c.

West Corrected between Sec. 26 & 35.  
 40 34 Set a q. Sec. post at area. dist. from which  
 a Beech 10 in. diam. bears N. 40 W. 25 links dist. &  
 an Elm 8 " " " S 62 E 19 " "  
 80 69 To Sec. Corner

North Between Sec. 26 & 27  
 13.21 A Beech 30 in. diam.  
 40.00 Set a q. Sec. post from which  
 a Beech 11 in. diam. bears S. 48 W. 11 links dist. &  
 an Elm 20 " " " S 67 E 18 " "  
 58.59 A Beech 12 " "  
 80 00 Set a Post Cor. to Sec. 22. 23. 26 & 27 from which  
 a Beech 6 in. diam. bears N. 15 E. 19 links dist. &  
 a Do 6 " " " S. 22 W. 5 " "  
 Land level + 2<sup>nd</sup> rate. Timber. Beech. Ash  
 Sugar. Elm. Underg<sup>th</sup> Spice & P. Ash.

229

T 30 A. R. & E 2<sup>nd</sup> Mer. Indiana.

East On Random between Sec. 23 & 26  
 40 00 Set a Temp. g. Sec. post.  
 80 00 Intersect the N & S. line & chain S. of the Post.  
 Land level. 2<sup>nd</sup> rate. Timber. Birch. Ash. Sugar  
 Underg<sup>th</sup>. Spice &c.

---

West Connected between Sec. 23 & 26  
 40 00 Set a g. Sec. post on true line from which  
 a Swamp Ash 20 in. diam. bears S. 10 E. 14 links dis.  
 a B. Oak 12 " " " N 22 E 12 " "  
 80 00 To Sec. Corner

---

North Between Sec. 22 & 23.  
 11. 28 A W. Oak 30 in. diam.  
 17. 00 Enter Swamp.  
 37. 50 Left same  
 40 00 Set a g. Sec. post from which  
 a Birch 8 in. diam. bears N. 74 W. 3 links dis.  
 a Sugar 7 " " " S 73 E 20 " "  
 50 00 Enter Swamp  
 55. 00 Left same  
 64. 00 Enter Swamp  
 73. 00 Left same  
 77. 00 A Birch 12 in. diam.  
 80. 00 Set a Post Cont. Sec. 14 15 22 & 23 from which  
 a Birch 15 in. diam. bears N. 80 E 35 links dis.  
 a Do 10 " " " S 72 W 20 " "  
 Land level & 2<sup>nd</sup> rate. Old fallen Timber.  
 Underg<sup>th</sup>. Hw. Willow & Plum.

---

East On Random between Sec. 23 & 14.  
 40. 00 Set a Temp. g. Sec. post.  
 70. 00 To Swamp.  
 73. 50 Left same  
 80 50 Intersect the N & S. line 42 links South of Post  
 Land level 2<sup>nd</sup> rate. Timber. Birch. Elm. Ash. W. B. Spice &c.



T 3<sup>rd</sup> N. R. & E. 2<sup>nd</sup> Mer. Indiana.

West Connected between Sec. 14 &amp; 23

- 110 25 Set a gr. Sec post at aver. dist. from which  
 a Sugar 8 in. diam. bears S 54° W 14 links dist, &  
 a Co 14 " " " N. 33° W. 18 " "  
 80 50 To Sec. corner

North Between Sec. 14 &amp; 15.

13. 00 A Buck 13 in. diam.  
 30. 00 A Stream 5 links wide. Course Co.  
 40 00 Set a gr. Sec post from which  
 a Buck 8 in. diam. bears N. 77° E. 7 links dist, &  
 an Elm 20 " " " S. 30° W. 34 " "  
 89. 34 A Buck 12 " "  
 80. 00 Set a Post cor. to Sec. 10 11. 14 & 15. from which.  
 a Buck 14 in. diam. bears S. 21° W 20 links dist, &  
 a Co 20 " " " N. 47° W 15 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Ash. Buck.  
 Sugar. Lym & Underg<sup>th</sup> Spice. &c

East On Random between Sec. 11 &amp; 14

12. 00 A Stream. 7 links wide. Course North.  
 40. 00 Set a Perm<sup>th</sup> gr. Sec. post.  
 80. 75 Intersect the N & S line 1 chain & 11 links S of  
 the Post.  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Buck.  
 Oak. Sugar. Underg<sup>th</sup> Spice.

West Connected between Sec. 11 &amp; 14.

40. 37 Set a gr. Sec post from which. (at aver. dist.)  
 a Lym 4 in. diam. bears N. 3° E. 2 links dist, &  
 a Sugar 10 " " " S. 30° E. 12 " "  
 80 75 To the corner May 6<sup>th</sup> 1828

North Between Sec. 33 &amp; 34

14. 00 A Sugar 24 in. diam.  
 46. 00 Set a gr. Sec post from which



231

T 30 N R 8 E 2<sup>nd</sup> Mer. Indiana.

- Swamp Ash 25 in. diam. bears N 74 E 17 links dist.  
 & a Beech 12 " " " S 32 W 4 " "
50. 25 A W. Oak 30 in. diam.  
 80 00 Set a Post Cor. to Secs. 27, 28, 33 & 34 from which  
 a Water Beech 6 in. diam. bears N 70 E 2 links dist.  
 & a Swamp Ash 36 " " " N 70 W 19 " "  
 Land level & 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Ash. & Undergrowth. Spice.

- East On Random between Secs. 27 & 34  
 40 00 Set a Temp. q. the post.  
 80 32 Intersect the N. & S. line 20 links South of Post.  
 Land level & 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Sugar. & Undergrowth. Spice.

- West Corrected between Secs. 27 & 34  
 40 16 Set a Post for q. Sec. as over dist. from which  
 a Beech 4 in. diam. bears N 63 E 5 links dist. &  
 a Co 20 " " " S 61 W 28 " "  
 80 32 To the corner.

- North Between Secs. 27 & 28  
 8. 75 A Beech 15 in. diam.  
 10. 00 Set a q. the post from which  
 a Sugar 24 in. diam. bears S 81 E 22 links dist. &  
 a Beech 12 " " " S 64 W 26 " "  
 50. 00 A Swamp Ash 14 in. diam.  
 80. 00 Set a Post cor. to Secs. 21, 22, 27 & 28 from which  
 a Beech 4 in. diam. bears N 21 W 4 links dist. &  
 a Co 24 " " " S 45 W 16 " "  
 Land level 2<sup>nd</sup> rate. Timber. Sugar. Beech.  
 Ash & Undergrowth. Spice & Water Beech

- East On Random between Secs. 22 & 27  
 12. 75 A Stream 5 links wide. Course N.  
 40 00 Set a Temp. q. the post

## T 30 N R 8 E 2nd Mer. Indiana.

80. 16 Intersect the N & S line 30 links North of the Post.  
 Sand level 2<sup>nd</sup> rate. Underg<sup>t</sup> Beech Ash &c.  
 Underg<sup>t</sup> Spruce & P. Ash.

Not Connected between Sec. 22 & 27.  
 40. 05 Set a g. Sec. post at ar. dist, from which  
 a Beech 20 in. diam. bears S. 52 E. 9 links dist, &  
 a Swamp Ash 10 in. " " N 25 W 27 " "  
 80 10 To Sec. Corner.

North Between Sec. 21 & 22  
 15 32 A Beech 12 in. diam.  
 26. 00 A Brook 10 links wide. W.  
 45 00 Set a g. Sec. post from which  
 a Beech 12 in. diam. bears N. 63 W. 6 links dist, &  
 a Do 15 " " " N 40 W 30 " "  
 59. 00 Enter Swamp  
 64. 50 Left same  
 75 00 To Swamp.  
 79. 50 Leave same.  
 80 00 Set a Post Cor. to Sec. 15 16 21 & 22 from which  
 an Ash 10 in. diam. bears N 12 E 9 links dist, &  
 a Do 10 " " " S. 35 E. 11 " "  
 Sand level 2<sup>nd</sup> rate. Timber fallen.

East On Random between Sec. 15 & 22  
 40. 00 Set a Iron p<sup>st</sup> of the post.  
 80. 14 Intersect the N & S line 15 links E of the Post.  
 Sand level 3<sup>rd</sup> rate. Timber fallen. Underg<sup>t</sup>  
 Ash. Maple. Hawth & Plum.

Not Connected between Sec. 15 & 22  
 40. 09 Set a g. Sec. post at ar. dist, from which  
 a Beech 12 in. diam. bears S. 28 W. 4 links dist, &  
 a Do 4 " " " S. 80 E. 11 " "  
 80 14 To Sec. Corner.

# T 30 N R 8 E 2<sup>nd</sup> Mer. Indiana

233

North Between Secs 15 & 16

19. 08 A Beech 10 in. diam.

40 00 Set a gr. Sec. post from which  
an S. Ash 10 in. diam. bears N. 81 E. 8 links dist. &  
a Maple 8 " " " S 50 W 14 " "

55. 50 A Beech 24 " "

80 00 Set a Post Cor. to Secs 9. 10. 15 & 16 from which  
an Elm 30 in. diam. bears North 3 links dist. &  
an S. Ash 24 " " " S 15 W 15 " "

Land. Rolling 2<sup>nd</sup> rate. Timber. Beech Elm.  
Sugar. Oak. Underg<sup>th</sup> Spice. May 7<sup>th</sup> 1828.

North Between Secs 32 & 33

10 10 A W. Oak 50 in. diam.

40. 00 Set a gr. Sec. post from which  
a Beech 10 in. diam. bears N. 67 E. 28 links dist. &  
an Ash 8 " " " S 50 W 21 " "

58. 50 A Sugar 15 " "

80. 00 Set a Post Cor. to Secs 28 29. 32 & 33 from which  
a W. Oak 30 in. diam. bears S 57 E 21 links dist. &  
a Co 28 " " " S. 56 W. 25 " "

Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Ash  
Oak. & Underg<sup>th</sup> Spice.

East On Random between Secs 28 & 33

40 00 Set a Temp<sup>o</sup> gr. Sec. post

80 08 Intersect the N & S line 21 links North of the Post.  
Land level & 2<sup>nd</sup> rate. Timber. Beech Ash.  
Sugar. Spruce. Underg<sup>th</sup> Spice.

West Corrected between Secs 28 & 33

40. 04 Set a gr. Sec. post at aver. dist. from which  
a Beech 10 in. diam. bears N. 35 E. 10 links dist. &  
a Sugar 15 " " " N. 48 W. 25 " "

80. 08 To Sec. Corner

## T. A. R. &amp; Co. Dr. Mer. Indiana.

With Between Sec. 28 & 29.  
 29. 50 To Pond  
 33. 00 Left same  
 40. 00 Set a g. the post from which  
 a Buck 10 in. diam. bears N 80 W 11 links dist. &  
 a No 8 " " " S 64 E 20 " "  
 50. 00 An Elm 10 " "  
 50. 00 Set a Post cor. to Sec. 20 21. 28 & 29 from which  
 a Buck 12 in. diam. bears N 20 W 29 links dist. &  
 a No 10 " " " S 10 E 17 " "  
 Land level 2<sup>nd</sup> rate. Timber. Ash. Buck.  
 Elm. Oak. Underg<sup>th</sup> Spice, &c.

On Random between Sec. 21 & 28  
 40. 00 Set a Temp. g. the post.  
 50. 00 Intersect the N & S line 61 links North of Post.  
 Land Rolling 2<sup>nd</sup> rate. Timber. Buck. Ash. &  
 Spice. Underg<sup>th</sup>.

Corrected between Sec. 21 & 28  
 40. 00 Set a g. the post from which  
 a B. Oak 6 in. diam. bears N. 2 E. 11 links dist. &  
 a Hickory 10 " " " S 5 E 8 " "  
 50. 00 To Sec. Corner

North Between Sec. 20 & 21  
 25. 18 A B. Oak 20 in. diam.  
 40. 00 Set a g. the post from which  
 a Spruce 7 in. diam. bears N. 45 E. 27 links dist. &  
 a Ironwood 4 in. " " S 61 W 9 " "  
 52. 00 Swamp  
 53. 50 Left same  
 64. 00 Swamp  
 69. 00 Left same  
 71. 50 Swamp  
 76. 00 Left same



# T 30 N R & E 2nd Mer. Indiana

235

50.00 Set a Post Cor. to Secs. 16, 17, 20 & 21, from which  
a Hickory 6 in. diam. bears N 10° W 5 links dist, &  
a Walnut Bush 5 in. " " S 9° W 9 " "  
Land level & 3<sup>rd</sup> rate. No Timber on last 1/2 mile.

East On Random between Secs. 16 & 21  
20.00 A Stream 5 links wide. Course N.  
40.00 Set a Temp<sup>l</sup> of the Post.  
62.00 To Swamp.  
65.00 Left same.  
68.50 Swamp.  
75.00 Same same.  
80.30 Intersect the N & S line 70 links West of the Post.  
Land level & 3<sup>rd</sup> rate Timber: fallen. Willow.  
Plum. Birnwa. &c.

West Connected between Secs. 16 & 21.  
10.15 Set a q. Sec. post aver. dist, from which  
a Water. Bush 4 in. diam. bears N 13° E 4 links dist, &  
a Cherry 6 " " " S 4° W 2 " "  
80.30 To the Corner.

North Between Secs. 16 & 17  
13.05 A Bush 12 in. diam.  
21.00 A Stream 7 links wide. Course NW  
39.50 A Co 7 " " " S E.  
40.00 Set a q. Sec. Post. from which  
a Bush 14 in. diam. bears N 12° W 20 links dist, &  
a Sugar 15 " " " S 15° W 11 " "  
45.00 A Stream 10 links wide. Course NW  
49.35 A W. Oak 48 in. diam.  
53.25 A Co 8 feet in diam.!!  
80.00 Set a Post Cor. to Secs. 8, 9, 16 & 17 from which  
a Bush 18 in. diam. bears N 32° E 37 links dist, &  
a Co 12 " " " S 57° W 15 " "  
Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Oak & Sugar.



T 30 N. R 8. E 2<sup>nd</sup> Mer. Indiana.

East On Random between Sec. 9 & 10.  
 40 00 Set a Temp<sup>l</sup> gr. Sec. post.  
 50 31 Intersect the N & S line 50 links South of the Post.  
 Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Sugar. &  
 Underg<sup>th</sup> Spice. May 8<sup>th</sup> 1828.

West Corrected between Sec. 9 & 10.  
 40 15 Set a gr. Sec. post at a cross dist from which  
 an Elm 6 in. diam. bears N 67 W. 25 links dist &  
 a Beech 6 " " " S 2 E 11 " "  
 80 31 To the corner.

East On Random between Sec. 10 & 15.  
 40 00 Set a Temp<sup>l</sup> gr. Sec. post.  
 50 54 Intersect the N & S line 50 links South of the Post.  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Beech. Sugar.  
 Underg<sup>th</sup> Spice.

North Between Sec. 10 & 11.  
 15 00 A Sugar 18 in. diam.  
 40 00 Set a gr. Sec. post from which  
 a Spruce 8 in. diam. bears N 67 E. 23 links dist &  
 an Elm 3 " " " S 57 W. 11 " "  
 57 54 A Cherry 18 " "  
 69 00 A Creek 40 links wide. Course N W. Rapid  
 80 00 Set a Post Cor. to Sec. 2. 3. 10 & 11 from which  
 an Elm 4 in. diam. bears S 70 E. 47 links dist &  
 a Beech 10 " " " N 57 W. 28 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Sugar. Beech.  
 Underg<sup>th</sup> Spice.

East On Random between Sec. 2 & 11.  
 40 00 Set a Temp<sup>l</sup> gr. Sec. post.  
 80 45 Intersect the N & S line 2 ch & 5 links South  
 of the Post. — Land Rolling 2<sup>nd</sup> rate.  
 Timber. Sugar & Beech Underg<sup>th</sup> Spice.

# 237

## T 30 N. R. & E Ind. Mer. Indiana.

Note Corrected between Sec? 2 & 11  
 40 22 Set a gr. Sec. post at aver. dist. from which  
 a Buck 30 in. diam. bears S 25 E 9 links dist. &  
 an Ironwood 4 " " " N 14 E 10 " "  
 80 43 To Sec. Corner

North Between Sec? 2 & 3  
 20 75 An Ash 30 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Buck 24 in. diam. bears N. 14 W. 9 links dist. &  
 a Co 15 " " " S 43 E 7 " "  
 50 00 At Spring Branch. Course N.W. 4 links wide.  
 50 78 An Ash 24 in. diam.  
 54.00 To Cat River Current Rapid. Set a Post Cor.  
 to Sec? 2 & 3 from which  
 a Dogwood 4 in. diam. bears S. 70 W 8 links dist. &  
 a Buck 12 " " " N 88 E 20 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Buck. & Oak  
 Underg. & Spice. &c.

Note Corrected between Sec? 10 & 15  
 40 27 Set a gr. Sec. post at aver. dist. from which  
 a Buck 12 in. diam. bears S. 44 E 10 links dist. &  
 a Spr 4 " " " N 53 W 12 " "  
 80 54 To Sec. Corner

North Between Sec? 9 & 10  
 35 75 A Sugar 12 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Buck 20 in. diam. bears N. 28 E. 25 links dist. &  
 a Co 18 " " " S 76 W 20 " "  
 52.12 At Sugar 12 " "  
 80.00 Set a Post Cor. to Sec? 3. 4. 9 & 10 from which  
 an Elm 12 in. diam. bears N. 30 E. 20 links dist. &  
 a Buckeye 12 " " " S 34 W 24 " "  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Buck. & Sugar. & Spice.

## T 30 N. R 8 E Ind Mer. Indiana.

East On Handcom between Sec. 3 & 40

40.00 Set a Temp. post

43.00 A Creek 40 links wide. Course North.

80.83 Intersect the N & S line 59 links S of the Post.  
Land level. 2<sup>nd</sup> rate. Timber. Beech. Sugar  
Oak. Undergrowth. Spice

West Connected between Sec. 3 & 40

40.41 Set a gr. the post at aver. dist. from which  
a Buckeye 8 in. diam. bears S 42° W 7 links dist. &  
a Do " " " " " N 35° E 15 " "

80.83 To Sec. Corner

North Between Sec. 3 & 4.

8.57 A Buckeye 10 in. diam.

40.00 Set a gr. the post from which  
a Beech 8 in. diam. bears N 16° E 15 links dist. &  
an Ash 12 " " " " S 4° W 18 " "

45.00 Eel River current lively. Set a Post Cor. to  
Sec. 3 & 4 from which  
a Butternut 10 in. diam. bears N 13° E 15 links dist. &  
a Sugar 8 " " " " S 1° W 10 " "  
Land level & 1<sup>st</sup> rate. Timber. Beech. Ash. &  
Sugar. Undergrowth. Spice.

North Between Sec. 8 & 9

32.84 A Beech 10 in. diam.

40.00 Set a gr. the post from which  
a Beech 12 in. diam. bears N 80° W 6 links dist. &  
a Do 14 " " " " S 44° E 41 " "

61.50 An Ash 30 " "

69.00 Swamp.

80.00 Set a Post Cor. to Sec. 4, 5, 8, & 9 from which  
a S. Ash 4 in. diam. bears N 80° E 5 links dist. &  
a W Oak 10 " " " " S 62° E 5 " "  
Land Rolling 2<sup>nd</sup> rate. Timber. Beech. Ash. Oak.

239

T 30 N. R. & E. 2nd Mer. Indians.

Underg# Innwood, Beech. &c. May 9th 1828.

North Between Secs. 31 & 32  
 18. 60 A Lynn 36 in. diam.  
 30. 00 A Stream 12 links wide, Course West  
 44. 00 Set a gr. Sec. post from which  
 a Hickory 24 in. diam. bears N. 34 W. 5 links dist. &  
 a Buckeye 6 " " " S. 55 E. 21 " "  
 58. 23 A Beech 12 " "  
 80. 00 Set a Post Cor. to Secs. 29 30 31 & 32 from which  
 a Sugar 4 in. diam. bears N. 24 W. 7 links dist. &  
 a Beech 8 " " " S. 3 W. 14 " "  
 Land level 2nd rate, Timber Beech, Lynn,  
 Elm &c. Underg# Spruce

East On Randon between Secs. 29 & 32  
 20. 00 Pond.  
 24. 50 Left same  
 40. 00 Set a Temp. gr. Sec. post,  
 80 50 Intersect the N & S line 30 links North of Post  
 Land &c as before.

West Connected between Secs. 29 & 32  
 40 25 Set a gr. Sec. post at even dist. from which  
 a Beech 6 in. diam. bears S. 56 W. 16 links dist. &  
 a Co 10 " " " N. 72 E. 20 " "  
 80 50 To Sec. Corner

West Between Secs. 30 & 31  
 18. 60 A Beech 20 in. diam.  
 40. 00 Set a gr. Sec. post from which  
 a Hickory 24 in. diam. bears N. 50 W. 35 links dist. &  
 a Beech 15 " " " S. 55 E. 20 " "  
 64 00 A Hickory 18 " "  
 83 90 Intersect the West Boundary 19 links S. of Post.  
 Set a Post Cor. to Secs. 30 & 31 from which



## T 30 N. R. 8. E. 2nd Mer. Indiana

a W. Oak 5 in. diam. bears N. 23° W. 16 links dist. &  
 a Buck 5 " " " S. 3° W. 9 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Buck. Hickory.  
 Underg<sup>th</sup> Spice. Hawth.

North Between Sec. 29 & 30.

23.00 A Buck 10 in. diam.

40.10 Set a gr. Sec. post from which

an Elm 12 in. diam. bears N 35° W 24 lks. dist. &

a Hickory 20 " " " S 29° E 29 " "

74.84 A Buck 10 " "

80.10 Set a Post cen to Sec. 19. 20 29 & 30 from which

a Buck 12 in. diam. bears S 29° E 37 links dist. &

a Hickory 6 " " " S 54° W 5 " "

Land Level 2<sup>nd</sup> rate. Timber Buck. Hickory.

Underg<sup>th</sup> Ironwood & Buck.

East On Random between Sec. 20 & 29

40.10 Set a Temp<sup>o</sup> gr. Sec. post

80.70 Intersect the N & S line 54 links North of the Post.

Land Rolling 2<sup>nd</sup> rate. Timber Buck. &

Oak. Underg<sup>th</sup> Spice & Buck.

West Corrected between Sec. 20 & 29

40.35 Set a gr. Sec. post at an ar. dist. from which

a Hickory 10 in. diam. bears S 81° E 12 lks. dist. &

a Buck 10 " " " N 88° W 15 " "

80.75 To Sec. Corner

West Between Sec. 19 & 30

13.15 A Buck 30 in. diam.

38.50 A Stream 6 links wide. Course S.

40.10 Set a gr. Sec. post. from which

a Buck 7 in. diam. bears N 84° W 11 links dist. &

a Po 15 " " " S 58° E 7 " "

58.25 A Hickory 13 in.

241

T 30 N. R. & E 2nd Mer. Indiana.

53. 65 Intersect the West Boundary 4 ch. & 97 links S. of the Pto. Set a Post Cor. of Sec. 19 & 30 from which a Buck 6 in. diam. bears N. 72° W. 14 links dist. & an Ash — " " " S. 72° E. 15 " " Land Rolling 2<sup>nd</sup> rate Timber Buck Sugar, & Underg<sup>th</sup> Spice.

North Between Sec. 19 & 20  
 8. 50 A Stream 5 links wide Course West.  
 10 00 A Do 4 " " " "  
 22. 50 A Buck 30 in. diam.  
 41. 00 Set a g. the post from which a Sugar 4 in. diam. bears S. 36° W. 2 links dist. & an Ash 5 " " " N. 44° E. 22 " "  
 13 00 A Buck 10 " "  
 50. 10 Set a Post Cor. to Sec. 17 18. 19 & 20 from which an Elm 5 in. diam. bears N. 22° E. 16 links dist. & a Cherry 4 " " " S. 10° W. 14 " "  
 Land Rolling 1<sup>st</sup> 1/2 mile 2<sup>nd</sup> rate. Last 1/2 3<sup>rd</sup> rate Timber as before.

East On Handem between Sec. 17 & 20  
 40. 00 Set a Tern 1/2 g. the Pto.  
 80 75 Intersect the N. & S. line 25 links S. of the Pto. Land level 3<sup>rd</sup> rate. Timber all fallen. Underg<sup>th</sup> Hawth. Plum, &c.

West Corrected between Sec. 17 & 20  
 40 57 Set a g. the post at aver. dist. from which a Plum 4 in. diam. bears S. 56° E. 16 links dist. & a Cherry 4 " " " N. 56° W. 3 " "  
 80 75 To the Corner.

North Between Sec. 17 & 18  
 40. 00 Set a g. the post from which a Sugar 20 in. diam. bears N. 65° E. 13 links dist. &

T 31 A. R & E 2<sup>nd</sup> Mer. Indiana.

a Buck 10 in. diam. bears S. 44 W. 20 links dist.  
 44 50 A Sugar 20 " "  
 71 50 A Stream 10 links wide. Course W.  
 80 00 Set a Post cor. to Sec. 7. & 17. 118 from which  
 a Buck 24 in. diam. bears N. 48 W. 11 links dist. &  
 a Do 8 " " " S. 24 W. 25 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber on the 1<sup>st</sup> 1/2  
 mile fallen. On last 1/2 Sugar. Buck. & Underg<sup>th</sup>.  
 Spice. &c

East On Random between Sec. 8 & 17  
 40 00 Set a Temp<sup>ry</sup> gr. Sec. post.  
 81 03 Intersect the N & S line 27 links North of the Post.  
 Land Rolling. Timber. Buck. Sugar. Ash. &  
 Underg<sup>th</sup>. Spice & Sugar

West Corrected between Sec. 8 & 17  
 40 56 Set a gr. Sec. post at aver. dist. from which  
 an Ash 20 in. diam. bears N. 19 W. 10 links dist. &  
 a Buckeye 4 in. " " S. 30 E. 17 " "  
 80 03 To the Corner.

West Between Sec. 7 & 18  
 13.23 A Buck 12 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Buck 20 in. diam. bears S. 5 W. 16 links dist. &  
 a Do 18 " " " N. 84 E. 17 " "  
 57 50 A Buck 18 " "  
 81.25 Intersect the ~~Post~~ ~~Boundary~~ Eel River &  
 Set a Post cor. to Sec. 7 & 18 from which  
 a W. Oak 20 in. diam. bears S. 53 W. 18 links dist. &  
 a Sugar 10 " " " N. 21 E. 20 " "  
 Land Rolling 2<sup>nd</sup> rate. Timber. Buck. Sugar.  
 Underg<sup>th</sup>. Sugar & Buck.

North Between Sec. 7 & 18.

# T 30 N. R & E 2nd Mer. Indiana.

243

21. 50 A Sugar 24 in? diam,  
 40, 10 Set a q. Sec. post from which  
 a Buck 12 in? diam. bears N 37 W 25 links dist. &  
 a Oak 28 " " " South 7 " "  
 66. 20 An Elm 15 " "  
 75-15 To Eel River Course S W. Rapid.  
 Set a Post Cor. to Sec? 7 & 8 from which  
 a Lynn 6 in? diam. bears N 35 W 5 links dist. &  
 a Buckeye 8 " " " S 10 E 11 " "  
 Land Rolling + 1<sup>st</sup> rate. Timber. Buck. Sugar.  
 Lynn. Buckeye. & Underg<sup>th</sup>. Spice, &c.

North Between Sec? 4 & 5.

4. 80 To Eel River. Current gentle. Set a Post.  
 Cor. to Sec? 4 & 5 from which  
 an Elm 12 in? diam. bears N 82 W 25 links dist. &  
 a Buckeye 12 " " " S 81 E 18 " "  
 Land 2<sup>nd</sup> rate. Timber. Buckeye. Elm. S W Buck

East On Random between Sec? 4 & 9.

- 40, 00 Set a Temp. q. Sec. post  
 80 95 Intersect the N W line 32 links North of Post.  
 Land level + 1<sup>st</sup> rate. Timber. Buck. Sugar.  
 Lynn. Elm. & Underg<sup>th</sup>. Spice. &c.

West Corrected between Sec? 4 & 9.

- 40.47 Set a q. Sec post at aver. dist. from which  
 a Buckeye 6 in? diam. bears N. 71 E. 3 links dist. &  
 Hackberry 4 " " " S 72 W 8 " "  
 80 95 To Sec? Corner

West Between Sec? 5 & 8.

4. 40 To Eel River. Current Brisk  
 Set a Post Cor. to Sec? 6 & 7 from which  
 a Water Buck 6 in? diam. bears S 36 W 15 links dist.  
 a W. Oak 12 " " " N 4 W 6 " "



T31 A R & E 2<sup>nd</sup> Mer. Indians.

West Between Sec. 18 & 19.  
 30.50 A Birch 10 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a Hickory 14 in. diam. bears N 58° W 8 links dist.  
 62.25 A White Oak 10 " "  
 67.00 Swamp  
 70.00 Left Co.  
 84.00 Intersect the West Boundary 4 ch. & 98 links  
 South of the Post. Set a Post Cor. to Sec. 18 & 19  
 from which an  
 Ash 12 in. diam. bears N. 10 E. 7 links dist. &  
 an Elm 7 " " " S 57° E 10 " "  
 Land Rolling & 3<sup>rd</sup> rate. Timber fallen.  
 Under the Hand. Plum. Gynn. Sycamore.  
 Wallen &c. May 12<sup>th</sup> 1828.

Meanders of Owl River S & E side. from Range  
line Between Ranges 7 & 8.

Course Distances

Remarks.

N 49° E 3.00

N 19° E 2.53 To line between Sec. 7 & 18

N 21° E 5.50 At 1.05 A Brook 4 links wide.

N 10° W 2.50

N 30° W 10.00

N 12° E 4.00

N 37° E 4.00

N 58° E 4.00

N 72° E 0.50

N 81° E 4.00 At 2.50 A Brook 3 links wide. Course North.

N 77° E 2.50

N 55° E 15.00

N 33° E 0.00

N 50° E 11.00

N 45° E 10.00

N 70° E 8.00 At 2.50 An Island.

245

T30 N R & E. 2nd Mer. Indiana.

N33 E	5.50	
N62 E	4.00	
N50 E	12.00	
N40 E	6.00	
N79 E	3.50	To line between Sec. 7 & 8

---

S55 E	4.00
S60 E	8.00
S51 E	8.50
N57 E	14.50
N55 E	3.00
N35 E	2.50
N55 E	5.00
N75 E	4.50
N87 E	9.50
N83 E	6.00
S37 E	1.00
S11 E	2.00
S14 W	5.00
S10 E	5.50
S32 E	2.50
S62 E	3.50
N73 E	4.50
N36 E	5.00
N9 E	2.50

N23 E	8.00	Intersect the line between Sec. 5 & 8
-------	------	---------------------------------------

---

N41 E	5.94	To the line between 4 & 5.
-------	------	----------------------------

---

N77 E	5.00
S83 E	4.50
S71 E	13.50
S50 E	2.50
N77 E	14.00
N55 E	10.50
N2 E	6.00

## T 30 A R &amp; E 2nd Mer. Indiana

N 49 E	2.50	
N 87 E	6.00	
N 81 E	8.00	
East	4.00	
N 70 E	5.00	
N 58 E	4.00	
N 38 E	5.50	
N 25 E	6.00	
North	3.00	
N 45 W	3.00	
N 15 E	7.00	
N 39 E	8.50	
S 80 E	2.50	Line between Sec. 3 & 4 Thence

S 25 E	11.00	
S 49 E	5.00	
S 30 E	6.00	
S 73 E	2.00	May 15 <sup>th</sup>
N 37 E	3.50	
N 63 E	3.00	
N 76 E	3.00	At 200 A Creek 50 links wide from mouth.
N 32 E	5.00	
N 5 E	6.50	
N 70 E	8.00	
N 82 E	8.50	
N 70 E	17.00	
N 87 E	6.00	
S 68 E	3.00	
S 88 E	3.00	
N 69 E	4.00	
N 45 E	6.50	
N 65 E	2.50	
N 45 E	3.42	To line between Sec. 2 & 3

N 32 E	1.50
N 35 E	6.50

247

J 30 N R. & E. 2<sup>nd</sup> Mer. Indiana.

N 50 W	5.00	
N 63 E	5.00	
S 88 E	7.50	
N 78 E	6.50	
N 38 E	5.00	
N 21 E	13.50	
N 43 E	13.50	
N 59 E	9.00	
N 65 E	2.50	
S 64 E	4.00	
S 16 E	3.00	
S 53 E	2.00	
S 77 E	3.00	
N 78 E	3.50	
N 62 E	3.50	
N 10 E	6.50	Ar Island 2 2.50 links long.
N 58 E	4.00	
S 65 E	4.00	
S 45 E	2.50	
S 59 E	5.11	No line between Sec 1. & 2

---

N 62 E	5.50
S 70 E	7.50
S 57 E	3.50
S 53 E	5.00
S 70 E	2.50
S 84 E	15.00
S 66 E	3.00
N 68 E	3.00
S 73 E	5.00
S 40 E	8.00
N 85 E	7.50
S 80 E	4.50
N 89 E	2.50
N 64 E	3.00
N 22 E	5.50



T<sup>30</sup> N<sup>8</sup> R<sup>8</sup> E<sup>2nd</sup> Mer. Indiana

9476 7.15 To Range line between Ranges 8 & 9.  
 May 17<sup>th</sup> 1828  
 Surveyed by  
 W. B. Bently D. S.

In pursuance of a Contract with, & instructions  
 from Edward Duffin, Surveyor General of the  
 United States and conformably to the laws of  
 the United States. I have surveyed and subdivided  
 into Sections Township N<sup>30</sup> North of Range  
 N<sup>8</sup> East, in the 5<sup>th</sup> Wayne district in the  
 State of Indiana, and I certify that the  
 foregoing are the correct Field Notes of the said  
 survey and subdivisions executed as aforesaid.  
 Certified this 25<sup>th</sup> day of June 1828  
 W. B. Bently  
 Dep. Surveyor.

# T 30 N. R 8 E 2<sup>nd</sup> Mer. Indiana.

249

Subdivisions of Township No 30 N. R 8 E.  
by John Humbery D. S.

Commenced March 11<sup>th</sup>. 1834.

North Between Sec. 7 & 8 from the old corner on  
the left Bank of Eel River

75.18 Old Cor. on the left Bank

78.18 Made corner on the right bank of Eel River.

to Sec. 7 & 8 from which

a Beech 10 in. diam. bears West 15 links dist. &

an H. Oak 14 " " " N. 81° E. 15 " "

80.00 Made Cor. to Sec. 5, 6, 7 & 8 from which

a W Oak 18 in. diam. bears N. 7° E. 10 links dist. &

a Do 15 " " " S 49° E 15 " "

North Between Sec. 5 & 6

9.30 A B. Ash 30 in. diam.

11.00 Set a gr. Vic Post from which

a Beech 14 in. diam. bears S. 39° E. 25 links dist. &

an Ash 15 " " " S. 81° W. 7 " "

64.77 A Hickory 18 in. diam.

78.47 Intersect the North Boundary 3.57 links West of Post.

Set a Post Cor. to Sec. 5 & 6 from which

a Beech 18 in. diam. bears S. 16° W. 14 links dist. &

a Do 11 " " " S. 22° E 32 " "

Land level & paid net Soil good 2<sup>nd</sup> rate.

West Between Sec. 6 & 7 On Random

9.20 A Brook or Spring Branch 6 links wide. Cor. S.

48.50 A Do 35 links wide. Course South.

86.00 Intersect the West Boundary 114 links South  
of the Corner

Land level & 1<sup>st</sup> rate particularly the West 1/2.

East Corners between Sec. 5 & 7

At Cor. of the 1 & 2 Set a Post Cor. to Sec. 6 & 7  
from which

# T<sup>o</sup> 30 A R & E 2<sup>nd</sup> Mer. Indiana.

- a Buck 10 in. diam. bears East 30 links dist &  
 a Walnut 4 " " " N 6 E 22 " "  
 39 79 A Buckeye 10 in. diam.  
 40 00 Set a g. Sec. post on true line from which  
 an Iron rod 4 in. diam. bears N. 53 E. 12 lks. dist &  
 a Buckeye 10 " " " S. 52 E 21 " "  
 78.04 A Buck 10 " "  
 80 00 To Sec. Corner.

- East On Random between Sec. 5 & 8  
 3. 75 A Brook 8 links wide. Course South.  
 35 00 Intersect Cal River. from whence the line  
 will continue in the River & crop it at  
 about 45 chains  
 65 00 Leave the River  
 75 00 Intersect the River  
 77.45 Intersect old Cor. on the left Bank 60 links  
 North of

- West Connected between Sec. 5 & 8  
 4. 40 Old Cor. on the Left Bank.  
 6. 85 Set a Post Cor. to Sec. 5 & 8 on the Right Bank  
 of River. from which  
 a W. Buck 5 in. diam. bears N. 85 E 6 lks. dist &  
 an Iron rod 4 " " " S 85 W 3 " "  
 10. 85 Set a Post Cor. to Sec. 5 & 8 on the Right Bank  
 from which  
 a Sycamore 10 in. diam. bears N. 15 W. 55 links dist  
 & a Willow 5 " " " West 21 " "  
 40. 85 Made the Corner to Sec. 5 & 8 on the Right Bank  
 from which  
 a W. Oak 5 in. diam. bears S. 28 W. 9 links dist &  
 a Do 6 " " " N 75 E 9 " "  
 81. 85 To Sec. Corner

North Between Sec. 4 & 3. from the old corner

# 251

## T 30 N. R 8 E 2nd Mer Indiana.

- on the Left Bank of Eel River
- 45 30 Old Corner on the left Bank.
- 48 30 Made Corner to Sec. 3 & 4 on the Right Bank of Eel River. from which  
an Elm 4 in. diam. bears S. 2 E. 13 links dist. &  
a Lynn 18 " " " S 84 E 54 " "
- 64 70 A Buckeye 14 in. diam.
78. 07 Intersect the N. Boundary 29 links West  
of the Post. Set a Post Cor. to Sec. 3 & 4 from which  
an H. Oak 15 in. diam. bears S. 11 E. 17 links dist. &  
a Mt. Beech 8 " " S 61 W. 31 " "  
Land 1<sup>st</sup> rate

- North Between Sec. 2 & 3 from which the old Cor.  
on the Left Bank of Eel River.
59. 00 Old Corner
- 68 57 Set a Post Cor. to Sec. 2 & 3 on the Right Bank of  
Eel River, line in River. where  
a Thorn 6 in. diam. bears S. 73 W. 86 links dist. &  
a Maple 6 " " " N 81 E 18 " "
74. 38 A Buckeye 10 in. diam.
78. 08 Intersect the N. Boundary 130 links East of Cor.  
Set a Post Cor. to Sec. 2 & 3 from which a  
H. Oak 18 in. diam. bears S. 29 W. 45 links dist. &  
Beech 18 " " " S. 30 E. 23 " "  
var. S. 30 E March 14<sup>th</sup> 1834.

- East On Between Sec. 7 & 18 May 1<sup>st</sup> 1834  
At the Cor. of Sec. 12 & 13 on the West Boundary,  
Set a Post Cor. to Sec. 7 & 18 from which  
a Buckeye 12 in. diam. bears N 43 E 3 links dist.  
a Do 12 " " " S 55 E 8 " "
1. 00 Intersect Eel River where Set a Post cor. to  
Sec. 7 & 18 on the Right Bank. from which  
a Hickory 10 in. diam. bears N. 23 E. 10 links dist. &  
a Do 11 " " " S 33 W. 10 " "



## T 30 N. R. 8 E 2nd Mer. Indiana.

Meanders of Oil River in Sec. 8.

Comm 30 North of Range 8 East.

Beginning at Corner on line between Ranges  
7 & 8. on the Right Bank of Oil River Thence  
up Stream in Sec. 18

Courses Distances Remarks

N 15 E 5.13 To Corner on line between Sec. 7 & 18  
Thence up Stream in Sec. 7

N 18 W 3.71 To line between Ranges 7 &amp; 8

From the line between Ranges 7 & 8  
Thence in Sec. 7. up Stream. on the  
Right Bank.

N 37 E 3.50

N 67 E 12.00

N 74 E 10.50

N 49 E 22.50

N 28 E 8.50 At 7.70 A Brook strikes wide from S.E.

N 73 E 14.50

East 8.00

N 45 E 9.50

N 34 E 8.00

N 61 E 0.50 At 4.25 A Strong Spring Branch  
Clear fine water

S 75 E 4.35 Corner on line between Sec. 7 &amp; 8

Up Stream in Sec 8

S 74 E 7.00 At 2.40 A small Brook

S 52 E 5.50

S 70 E 7.00

N 74 E 5.00

N 60 E 8.00

N 50 E 4.00

N 69 E 2.82 To the cor. on line between Sec. 5 &amp; 8.

253

To N. R. & E. 2<sup>nd</sup> Mer. Indiana.

Thence up Stream in Sec 5.

N60E 7.00

N80E 11.00

S70E 3.00

N66E 6.00

S64E 5.50

S9E 3.00

S11W 1.87 Corner on the line between Secs 5 & 8

Thence up Stream on the Right Bank  
in Sec. 8

S21E 9.50

N62E 3.00

N24E 7.50

N48E 1.17 To the corner on line of Secs 5 & 8

N25E 4.00 Thence in Sec 5.

N55E 5.50

N70E 1.10 To line of Secs 4 & 5.

N77E 5.00 Thence in Sec. 4

S85E 31.00 At 5.50 A Brook 6 links wide. At 6.05  
a Prairie At 21.00 Left Prairie.

N25E 3.00

N7E 6.00

N65E 4.00

East 21.50

N52E 8.00

N25E 3.00

N1E 3.00

N8W 7.00

N16E 2.00

N39E 6.00

N24E 4.50

N56E 5.50

S79E 2.87 To Corner on line between Secs 3 & 4



T 30 N. R 8 E 2<sup>nd</sup> Mer. Indiana.

255

at Book 20 in diam. beam 123 W 10th. dist. of  
a No. 5 " " 172 E 17 " "  
Land level 8<sup>th</sup> rate, timber to correspond

---

I hereby certify that, in pursuance of a contract with Micajah T. Williams, Surveyor General of the United States for the States of Ohio, Indiana and the Territory of Michigan, bearing date the 27<sup>th</sup> day of December 1833 and in good conformity to the laws of the United States and the instructions of said surveyor General, I have surveyed and subdivided into sections Township No 30. (Three) North of Range No 8 East of the 2<sup>nd</sup> Mer. in the State of Indiana. And I do further certify that the foregoing are the true and correct the original Field Notes of said survey and subdivisions executed as aforesaid and also the original Notes of the Meanders of Eel River on the Right Bank.

Certified this 9<sup>th</sup> day of May 1834

John Hendricks.

Dep. Surveyor

William Cash

William Felton

Chairmen

Nathan Simpson Marker



T<sup>30</sup>. N. R. & E. 2<sup>nd</sup> Mer. Indiana

I Certify that, the foregoing transcript of the  
Field Notes of Township No 30 North of Range  
No 8 East of the 2<sup>nd</sup> Mer. in the State of Indiana  
has been compared with the original Notes in  
this Office and found to be correct.

Surveyor General's Office, 3  
Cincinnati, April 22. 1845 3

William Johnston  
Svr. Genl.

Comp.